

# MAGNA Driver (30W)



Model No. MSD30

MAGNA Slim-Trac Magnetic Lighting System  
Magnetic track Driver (30W)

- Constant Voltage Output
- UL, cUL listed, Class 2 unit, Type HL rated. FCC
- Universal AC input 100-277VAC
- Power Factor: up to 0.98
- High efficiency: up to 86%
- Short Circuit, Over Loading and Over Temperature Protection
- PWM output, does not change color index
- Full Protection metal case for Dry, Damp or Wet Location
- Flicker Free Dimming - Range 0-100%
- Phase Dimming: Phase dimming - works with forward phase / leading edge, MLV and Reverse phase / trailing edge, ELV, TRIAC dimmers (0-10V dimming: 0-10V/1-0V/Potentiometer/10V PWM 4 in 1



**Type:** Driver

**Finish:**

## Your Details

**Project:**

**Fixture Type/Qty.:**

**Location:**

**Contact info:**

# MAGNA Driver (30W)



Model No. MSD30

---

## Product Specifications

OAH (in.): 1

Overall Width (in.): 6.5

OA Depth (in.): 3.6

Bulb:

Max. wattage (W):

Number of Bulbs:

Bulb included:

LED info - Watts (W): 30

LED info - Lumens (lm):

LED info - lm/W:

LED info - CCT:

LED info - CRI: Unaffected

Dimmable: Yes

Voltage: 24V DC

Certifications and Listings: cUL Listed

Warranty: 5 Years

# MAGNA Driver (30W)



Model No. MSD30

---

